

- Step 1.** Specify the **DIAMETER** and **DEPTH** of your Bass Drum. Please refer to the Price List for available sizes.

_____ X _____		_____
Diameter		Depth

- Step 2.** Choose from **REGULAR PLY SHELL** or **THIN PLY SHELL**.

- Regular Ply Shell
- Thin Ply Shell (Reference ONE style)

- Step 3.** Choose the # **OF PLYS** of your Bass Drum.

- 4 ply w/ 4 ply reinforcement rings*
- 6 ply
- 8 ply
- 10 ply

*4 ply is available ONLY with REGULAR PLY SHELL.

- Step 4.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to Step 5 below.

- all **Maple**
- all **Birch**
- all **African Mahogany**

- Step 5.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in **Step 3**.

Inside Plies

- | | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Gum | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Artisan* | # of plies | <input type="checkbox"/> 2 | | | | |

- | | | | |
|--|-------------------------------------|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> Bubinga | <input type="checkbox"/> Tamo | <input type="checkbox"/> Zebra Wood | <input type="checkbox"/> Curly Maple |
| <input type="checkbox"/> Burl Mahogany | <input type="checkbox"/> Eucalyptus | <input type="checkbox"/> Black Limba | <input type="checkbox"/> Imbuia |

Middle Plies

- | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |
| <input type="checkbox"/> Gum | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |

Outside Plies

- | | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Artisan* | # of plies | <input type="checkbox"/> 2 | | | | |

- | | | | |
|--|-------------------------------------|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> Bubinga | <input type="checkbox"/> Tamo | <input type="checkbox"/> Zebra Wood | <input type="checkbox"/> Curly Maple |
| <input type="checkbox"/> Burl Mahogany | <input type="checkbox"/> Eucalyptus | <input type="checkbox"/> Black Limba | <input type="checkbox"/> Imbuia |

*Artisan Veneers are 2 plies consisting of Artisan veneer plus a Maple carrier wood and are only available in REGULAR ply.

- Step 6.** Optional Carbon or Fiberglass layer applied to Drum Shell. (If Omitted Skip to Step 7 Below.)

- Inside**
- Carbon
 - Fiberglass*

- Outside**
- Carbon

*Fiberglass is available on inside of shell only.

- Step 7.** Specify the **BEARING EDGE**.

- 45 Degree
- Rounded 45 Degree
- Fully Rounded
- Outer 60 Degree
- Inner 45 Degree

- Step 8.** Choose the **HOOP WIDTH**.

- 2"
- 1.5"

- Step 9.** Specify the **AIR VENT**.

Standard Position

- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
- Regular Round Die-Cast Air Vent, Matching Hardware Color

Golden Ratio Position w/Pentagonal Die-Cast Air Vent (Gold Plated)*

- Gold Plated Golden Ratio Pentagonal Die-Cast Air Vent
- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
- Regular Round Die-Cast Air Vent, Matching Hardware Color

*By default, the quantity of the Golden Ratio Air Vents on the Bass Drum is 2.

- Step 10.** Specify the **EXTERIOR FINISH**.

Specify Finish and Inlay pattern

- Please go to www.pearldrums.com to view available finishes

- Standard Finish**

-
- Artisan Finish**

-
- Custom Finish**

Specify Finish

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- Custom Inlay** Carbon Outer Finish is not available.

Please note all the inlay options are only available in the center position.

- Barnwood Ribbon 6mm
- Black Ribbon 6mm
- Mosaic 6mm
- Rosette 7mm

- Step 11.** Specify the following **HARDWARE** options.

Hardware Color

- Chrome Plated
- Nickel Plated
- Gold Plated
- Black Chrome Plated
- Black Nickel Plated

BB-300 Bracket

- Yes
- No

Lugs

- STL-300 (Swivel Tube Lug)
- STL-200 (Reference ONE "Single" Style)
- CL-250 (Masters Maple/Gum, Masters Maple, Masters Maple Pure Style)

Claws

- D-054 (Masters Style) for 1.5" & 2" Wide Hoops

Spurs

- SP-330 (Reference ONE, Masters Style)
- SP-30 (Professional Series Style)

Additional Remarks

- Step 1.** Specify the **DIAMETER** and **DEPTH** of your Snare Drum. Please refer to the Price List for available sizes.

X
Diameter Depth

- Step 2.** Choose from **REGULAR PLY SHELL** or **THIN PLY SHELL**.

- Regular Ply Shell
- Thin Ply Shell (Reference ONE style)

- Step 3.** Choose the # OF PLYS of your Snare Drum.

- 1 ply*
- 4 ply w/ 4 ply Reinforcement Rings**
- 6 ply
- 8 ply
- 10 ply
- 20 ply***
- 1 ply is available ONLY in 14" x 5", 14" x 5.5" and 14" x 6.5" Maple Shell. **4 ply is available ONLY with REGULAR PLY SHELL.
- *** 20 Ply Shell in 14"x3.5" size is available only in Free Floating Style.

- Step 4.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to **Step 5** below.

- all **Maple**
- all **Birch**
- all **African Mahogany**

- Step 5.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in **Step 3**.

Inside Plies

- | | | | | | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 | <input type="checkbox"/> 18 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 | <input type="checkbox"/> 18 |
| <input type="checkbox"/> Gum | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 | <input type="checkbox"/> 18 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 | <input type="checkbox"/> 18 |
| <input type="checkbox"/> Artisan* | # of plies | <input type="checkbox"/> 2 | | | | | | | | |

- | | | | |
|--|-------------------------------------|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> Bubinga | <input type="checkbox"/> Tamo | <input type="checkbox"/> Zebra Wood | <input type="checkbox"/> Curly Maple |
| <input type="checkbox"/> Burl Mahogany | <input type="checkbox"/> Eucalyptus | <input type="checkbox"/> Black Limba | <input type="checkbox"/> Imbuia |

Middle Plies

- | | | | | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 |
| <input type="checkbox"/> Gum | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 |

Outside Plies

- | | | | | | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 | <input type="checkbox"/> 18 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 | <input type="checkbox"/> 18 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 | <input type="checkbox"/> 12 | <input type="checkbox"/> 14 | <input type="checkbox"/> 16 | <input type="checkbox"/> 18 |
| <input type="checkbox"/> Artisan* | # of plies | <input type="checkbox"/> 2 | | | | | | | | |

- | | | | |
|--|-------------------------------------|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> Bubinga | <input type="checkbox"/> Tamo | <input type="checkbox"/> Zebra Wood | <input type="checkbox"/> Curly Maple |
| <input type="checkbox"/> Burl Mahogany | <input type="checkbox"/> Eucalyptus | <input type="checkbox"/> Black Limba | <input type="checkbox"/> Imbuia |

*Artisan Veneers are 2 plies consisting of Artisan veneer plus a Maple carrier wood and are only available in REGULAR ply.

- Step 6.** Optional Carbon or Fiberglass layer applied to Drum Shell. (If Omitted Skip to Step 7 Below.)

- Inside**
- Carbon
 - Fiberglass*

Outside

- Carbon
- *Fiberglass is available on inside of shell only.

- Step 7.** Specify the **BEARING EDGE**.*

- 45 Degree
- Rounded 45 Degree
- Fully Rounded
- Outer 60 Degree
- Inner 45 Degree

*20 ply shell is available with 45 Degree Bearing Edge only.

- Step 8.** Specify the **SNARE BED**.

- Standard
- Philharmonic

- Step 9.** Specify the **AIR VENT**.

- Standard Position
- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
 - Regular Round Die-Cast Air Vent, Matching Hardware Color

Golden Ratio Position w/Pentagonal Die-Cast Air Vent (Gold Plated)*

- Gold Plated Golden Ratio Pentagonal Die-Cast Air Vent
- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
- Regular Round Die-Cast Air Vent, Matching Hardware Color

- Step 10.** Specify the **EXTERIOR FINISH**.

Specify Finish and Inlay pattern
- Please go to www.pearldrums.com to view available finishes

- Standard Finish**

- Artisan Finish**

- Custom Finish**

Specify Finish

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- Custom Inlay** Carbon Outer Finish is not available.

Please note all the inlay options are only available in the center position.

- Barnwood Ribbon 6mm
- Black Ribbon 6mm
- Mosaic 6mm
- Rosette 7mm

- Step 11.** Specify the following **HARDWARE** options.

Type of Snare Drum

- Conventional
- Free Floating - available in 14"x3.5", 14"x5", & 14"x6.5", 14"x8" ONLY

Hardware Color

- Chrome Plated
- Nickel Plated
- Gold Plated
- Black Chrome Plated
- Black Nickel Plated

Specify Free Floating Bottom Chassis Color*

- Aluminum
- Black

*The Bottom Chassis of the Free Floating snare drum is available only in Silver or Black. Hardware color selection applies to all other parts and must be noted on left.

Hoops

- Die Cast*
- SuperHoop II

*15" diameter snare side die cast bottom hoops are not available.

Lugs

- STL-150 (Swivel Tube Lug for 7" depths or greater)
- STL-100 (Hybrid Exotic Style split, 4" depths or greater)
- CL (Masters, one piece)
- CL (Masters, split for 6.5" depths or greater)
- TB (Tube Lugs, One piece)

Strainer

- SR1000
- SR1000F*
- SR160F*
- SR150
- SR018**
- SR017

*For Free Floating snare drums ONLY.
**For snare drums 4" and shallower.

Snares (for 14")

- SN1420C
- SN1420D
- SN1420I
- SN1442C
- SN1442D
- SN1442I
- S022
- S022N
- S022NU
- S022NG
- S030N

Snares (for 13")

- SN1320C
- SN1320D
- SN1320I
- S029N
- Snares (for 15")**
- SN1520I
- Snares (for 12")**
- S031N
- S033N
- Snares (for 10")**
- S032N

Additional Remarks

- **Step 1.** Specify the **DIAMETER** and **DEPTH** of your Rack Tom. Please refer to the Price List for available sizes.

X

 Diameter Depth

- **Step 2.** Choose from **REGULAR PLY SHELL** or **THIN PLY SHELL**.

- Regular Ply Shell
- Thin Ply Shell (Reference ONE style)

- **Step 3.** Choose the # OF PLYS of your Rack Tom.

- 4 ply w/ 4 ply reinforcement rings*
- 6 ply
- 8 ply
- 10 ply

*4 ply is available ONLY with REGULAR PLY SHELL.

- **Step 4.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to Step 5 below.

- all **Maple**
- all **Birch**
- all **African Mahogany**

- **Step 5.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in **Step 3**.

Inside Plies

- Maple # of plies 2 4 6 8 10
- Birch # of plies 2 4 6 8 10
- Gum # of plies 2 4 6 8 10
- Mahogany # of plies 2 4 6 8 10
- Artisan* # of plies 2

- Bubinga Tamo Zebra Wood Curly Maple
- Burl Mahogany Eucalyptus Black Limba Imbuia

Middle Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Gum # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Outside Plies

- Maple # of plies 2 4 6 8 10
- Birch # of plies 2 4 6 8 10
- Mahogany # of plies 2 4 6 8 10
- Artisan* # of plies 2

- Bubinga Tamo Zebra Wood Curly Maple
- Burl Mahogany Eucalyptus Black Limba Imbuia

*Artisan Veneers are 2 plies consisting of Artisan veneer plus a Maple carrier wood and are only available in REGULAR ply.

- **Step 6.** Optional Carbon or Fiberglass layer applied to Drum Shell. (If Omitted Skip to Step 7 Below.)

- Inside**
- Carbon
 - Fiberglass*

- Outside**
- Carbon

*Fiberglass is available on inside of shell only.

- **Step 7.** Specify the **BEARING EDGE**.

- 45 Degree Outer 60 Degree
- Rounded 45 Degree Inner 45 Degree
- Fully Rounded

- **Step 8.** Specify the **AIR VENT**.

- Standard Position
- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
 - Regular Round Die-Cast Air Vent, Matching Hardware Color

Golden Ratio Position w/Pentagonal Die-Cast Air Vent (Gold Plated)*

- Gold Plated Golden Ratio Pentagonal Die-Cast Air Vent
- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
- Regular Round Die-Cast Air Vent, Matching Hardware Color

- **Step 9.** Specify the **EXTERIOR FINISH**.

Specify Finish and Inlay pattern
 - Please go to www.pearldrums.com to view available finishes

- Standard Finish**

- Artisan Finish**

- Custom Finish**

Specify Finish

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- Custom Inlay** Carbon Outer Finish is not available. Please note all the inlay options are only available in the center position.

- Barnwood Ribbon 6mm
- Black Ribbon 6mm
- Mosaic 6mm
- Rosette 7mm

- **Step 10.** Specify the following **HARDWARE** options.

Hardware Color

- Chrome Plated
- Nickel Plated
- Gold Plated
- Black Chrome Plated
- Black Nickel Plated

Hoops

- Die Cast
- SuperHoop II

Lugs

- STL-150 (Swivel Tube Lug)
- STL-100 (Reference ONE "Single" Style)
- CL-100 (Masters Style)

Mounting Bracket

- R2 Air for Pipe*
- R2 Air for L-Rod*
- Optimount (Black finish with chrome accents only)
- I.S.S. (used with SuperHoop II only)
- BT-3 (direct shell mount)

*The use of an R2 Air requires a minimum shell depth of 7."

Additional Remarks

- **Step 1.** Specify the **DIAMETER** and **DEPTH** of your Floor Tom. Please refer to the Price List for available sizes.

_____ X _____
Diameter Depth

- **Step 2.** Choose from **REGULAR PLY SHELL** or **THIN PLY SHELL**.

- Regular Ply Shell
- Thin Ply Shell (Reference ONE style)

- **Step 3.** Choose the # OF PLYS of your Floor Tom.

- 4 ply w/ 4 ply reinforcement rings*
- 6 ply
- 8 ply
- 10 ply

*4 ply is available ONLY with REGULAR PLY SHELL.

- **Step 4.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to Step 5 below.

- all **Maple**
- all **Birch**
- all **African Mahogany***

- **Step 5.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in **Step 3**.

Inside Plies

- | | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Gum | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Artisan* | # of plies | <input type="checkbox"/> 2 | | | | |

- | | | | |
|--|-------------------------------------|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> Bubinga | <input type="checkbox"/> Tamo | <input type="checkbox"/> Zebra Wood | <input type="checkbox"/> Curly Maple |
| <input type="checkbox"/> Burl Mahogany | <input type="checkbox"/> Eucalyptus | <input type="checkbox"/> Black Limba | <input type="checkbox"/> Imbuia |

Middle Plies

- | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |
| <input type="checkbox"/> Gum | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 |

Outside Plies

- | | | | | | | |
|-----------------------------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| <input type="checkbox"/> Maple | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Birch | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Mahogany | # of plies | <input type="checkbox"/> 2 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 10 |
| <input type="checkbox"/> Artisan* | # of plies | <input type="checkbox"/> 2 | | | | |

- | | | | |
|--|-------------------------------------|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> Bubinga | <input type="checkbox"/> Tamo | <input type="checkbox"/> Zebra Wood | <input type="checkbox"/> Curly Maple |
| <input type="checkbox"/> Burl Mahogany | <input type="checkbox"/> Eucalyptus | <input type="checkbox"/> Black Limba | <input type="checkbox"/> Imbuia |

*Artisan Veneers are 2 plies consisting of Artisan veneer plus a Maple carrier wood and are only available in REGULAR ply.

- **Step 6.** Optional Carbon or Fiberglass layer applied to Drum Shell. (If Omitted Skip to Step 7 Below.)

- Inside**
- Carbon
 - Fiberglass*

- Outside**
- Carbon

*Fiberglass is available on inside of shell only.

- **Step 7.** Specify the **BEARING EDGE**.

- 45 Degree
- Rounded 45 Degree
- Fully Rounded
- Outer 60 Degree
- Inner 45 Degree

- **Step 8.** Specify the **AIR VENT**.

- Standard Position
- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
 - Regular Round Die-Cast Air Vent, Matching Hardware Color

Golden Ratio Position w/Pentagonal Die-Cast Air Vent (Gold Plated)*

- Gold Plated Golden Ratio Pentagonal Die-Cast Air Vent
- Gold Plated Engraved Masterworks Round Die-Cast Air Vent
- Regular Round Die-Cast Air Vent, Matching Hardware Color

- **Step 9.** Specify the **EXTERIOR FINISH**.

Specify Finish and Inlay pattern
- Please go to www.pearldrums.com to view available finishes

- Standard Finish**

- Artisan Finish**

- Custom Finish**

Specify Finish

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- Custom Inlay** Carbon Outer Finish is not available. Please note all the inlay options are only available in the center position.

- Barnwood Ribbon 6mm
- Black Ribbon 6mm
- Mosaic 6mm
- Rosette 7mm

- **Step 10.** Specify the following **HARDWARE** options.

Hardware Color

- Chrome Plated
- Nickel Plated
- Gold Plated
- Black Chrome Plated
- Black Nickel Plated

Hoops

- Die Cast
- SuperHoop II

Lug

- STL-150 (Swivel Tube Lug)
- STL-100 (Reference ONE "Single" Style)
- CL-100 (Masters Style)

Leg Brackets / Legs*

- LB-40/LG-40 (Professional Series Style)

*Floor Toms with 11" depth or under come with extra long 27" legs.

- LB-75/LG-40 (Reference ONE, Masters Style)

Additional Remarks

- Step 1.** Specify the **DIAMETER** and **DEPTH** of your Gong Drum*. Please refer to the Price List for available sizes.

_____ X _____
Diameter Depth

*Features 1" Batter Hoop and flat bottom edge.

- Step 2.** Choose from **REGULAR PLY SHELL** or **THIN PLY SHELL**.

- Regular Ply Shell
- Thin Ply Shell (Reference ONE style)

- Step 3.** Choose the **# OF PLYS** of your Gong Drum.

- 4 ply w/ 4 ply reinforcement rings*
- 6 ply
- 8 ply
- 10 ply

*8 ply is available ONLY in 18" or 20" diameter.

- Step 4.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to Step 5 below.

- all **Maple**
- all **Birch**
- all **African Mahogany**

- Step 5.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in **Step 3**.

Inside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Gum # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8
- Artisan* # of plies 2

- Bubinga Tamo Zebra Wood Curly Maple
- Burl Mahogany Eucalyptus Black Limba Imbuia

Middle Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Gum # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Outside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8
- Artisan* # of plies 2

- Bubinga Tamo Zebra Wood Curly Maple
- Burl Mahogany Eucalyptus Black Limba Imbuia

*Artisan Veneers are 2 plies consisting of Artisan veneer plus a Maple carrier wood and are only available in REGULAR ply.

- Step 6.** Optional Carbon or Fiberglass layer applied to Drum Shell. (If Omitted Skip to Step 7 Below.)

Inside

- Carbon
- Fiberglass*

Outside

- Carbon

*Fiberglass is available on inside of shell only.

- Step 7.** Specify the Batter **BEARING EDGE**.

Batter Edge

- 45 Degree Outer 60 Degree
- Rounded 45 Degree Inner 45 Degree
- Fully Rounded

Bottom Reinforcement Ring option for 4 ply shells.

- Reinforcement Ring

- Step 8.** Specify the **EXTERIOR FINISH**. Specify Finish and Inlay pattern - Please go to www.pearldrums.com to view available finishes

- Standard Finish**

- Artisan Finish**

- Custom Finish**

Specify Finish

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- Custom Inlay** Carbon Outer Finish is not available. Please note all the inlay options are only available in the center position.

- Barnwood Ribbon 6mm
- Black Ribbon 6mm
- Mosaic 6mm
- Rosette 7mm

- Step 9.** Specify the following **HARDWARE** options.

Hardware Color

- Chrome Plated
- Nickel Plated
- Gold Plated
- Black Chrome Plated
- Black Nickel Plated

Bracket

- BT-3 (Accepts TH1030/930/Tom holders)

Lugs

- STL-300 (Swivel Tube Lug)
- STL-200 (Reference ONE "Single" Style)
- CL-250 (Masters Style)

Claws

- D-054 (Reference ONE, Masters Style)

Additional Remarks